

# agcdf

October 16, 2009

## R topics documented:

|       |   |
|-------|---|
| agcdf | 1 |
| agdim | 1 |
| i2xy  | 1 |

|              |          |
|--------------|----------|
| <b>Index</b> | <b>3</b> |
|--------------|----------|

---

|       |              |
|-------|--------------|
| agcdf | <i>agcdf</i> |
|-------|--------------|

---

### Description

environment describing the CDF file

---

|       |              |
|-------|--------------|
| agdim | <i>agdim</i> |
|-------|--------------|

---

### Description

environment describing the CDF dimensions

---

|      |   |
|------|---|
| i2xy | <i>Convert (x,y)-coordinates to single-number indices and back.</i> |
|------|---|

---

### Description

Convert (x,y)-coordinates on the chip (and in the CEL file) to the single-number indices used in AffyBatch and CDF environment, and back.

### Usage

```
i2xy(i)
xy2i(x, y)
```

**Arguments**

|   |   |
|---|---|
| x | numeric. x-coordinate (from 1 to 534)           |
| y | numeric. y-coordinate (from 1 to 534)           |
| i | numeric. single-number index (from 1 to 285156) |

**Details**

Type `i2xy` and `xy2i` at the R prompt to view the function definitions.

**See Also**

[agcdf](#)

**Examples**

```
xy2i(5,5)
i      = 1:(534*534)
coord = i2xy(i)
j      = xy2i(coord[, "x"], coord[, "y"])
stopifnot(all(i==j))
range(coord[, "x"])
range(coord[, "y"])
```

# Index

## \*Topic **datasets**

agcdf, 1

agdim, 1

i2xy, 1

agcdf, 1, 2

agdim, 1

i2xy, 1

xy2i (i2xy), 1