

Package ‘ctc’

April 10, 2023

Version 1.72.0

Date 2005-11-16

Depends amap

Title Cluster and Tree Conversion.

Author Antoine Lucas <antoinelucas@gmail.com>, Laurent Gautier <laurent@cbs.dtu.dk>

biocViews Microarray, Clustering, Classification, DataImport,
Visualization

Maintainer Antoine Lucas <antoinelucas@gmail.com>

Description Tools for export and import classification trees and clusters to other programs

License GPL-2

URL <http://antoinelucas.free.fr/ctc>

git_url <https://git.bioconductor.org/packages/ctc>

git_branch RELEASE_3_16

git_last_commit 0a4b464

git_last_commit_date 2022-11-01

Date/Publication 2023-04-10

R topics documented:

hc2Newick	2
hclust2treeview	3
r2cluster	4
r2gtr	6
r2xcluster	7
read.eisen	9
xcluster	10
xcluster2r	12

Index	14
--------------	-----------

hc2Newick

Convert hclust objects to Newick format files

Description

Convert hclust objects to Newick format files.

Usage

```
hc2Newick(hc, flat=TRUE)
```

Arguments

hc	a hclust object (as returned by the function hclust in the package stats)
flat	a boolean (see section value).

Value

If flat=TRUE the result is a string (that you can write in a file).

If flat=FALSE the result is a list (of lists). Each list is consituted of the elements left, right and dist.

Author(s)

Laurent (laurent@cbs.dtu.dk)

References

Antoine Lucas and Sylvain Jasson, *Using amap and ctc Packages for Huge Clustering*, R News, 2006, vol 6, issue 5 pages 58-60.

Examples

```
data(USArrests)
h = hclust(dist(USArrests))
write(hc2Newick(h),file='hclust.newick')
```

hclust2treeview *Hierarchical clustering and treeview export*

Description

This function compute hierachical clustering with function hcluster and export cluster to treeview files format.

Usage

```
hclust2treeview(x, file="cluster.cdt", method = "euclidean", link = "complete", keep.hclust=FALSE)
```

Arguments

x	numeric matrix or a data frame or an object of class "exprSet".
file	File name of export file.
method	the distance measure to be used. This must be one of "euclidean", "maximum", "manhattan", "canberra" "binary" "pearson", "correlation" or "spearman". Any unambiguous substring can be given.
link	the agglomeration method to be used. This should be (an unambiguous abbreviation of) one of "ward", "single", "complete", "average", "mcquitty", "median" or "centroid".
keep.hclust	if TRUE: function returns a list of 2 objects of class hclust

Details

This function producte all 3 files needed by treeview, with extentions: cdt, gtr, atr.

Value

if keep.hclust = FALSE, function return 1. else function returns 2 objects of class hclust, first: hierachical clustering by rows, second: hierarchical clustering by columns

Author(s)

Antoine Lucas, <http://mulcyber.toulouse.inra.fr/projects/amap/>

References

Antoine Lucas and Sylvain Jasson, *Using amap and ctc Packages for Huge Clustering*, R News, 2006, vol 6, issue 5 pages 58-60.

See Also

[hclust](#)

Examples

```
data(USArrests)
hclust2treeview(USArrests, file="cluster.cdt")
```

r2cluster

Write to Cluster file format

Description

Converting data to Cluster format

Usage

```
r2cluster(data, labels=FALSE, colname="ACC", description=FALSE,
          file="cluster.txt", dec='.')
```

Arguments

file	the path of the file
data	a matrix (or data frame) which provides the data to put into the file
labels	a logical value indicating whether we use the first column as labels (ACC column in cluster file)
colname	a character string indicating what kind of objects are in each row. YORF, MCLID, CLID, ACC can be used: see details.
description	a logical value indicating whether we use the second column as description (NAME column for cluster file)
dec	the character used in the file for decimal points

Details

Software *Cluster*, made by *M. Eisen* needs formatted input data like:

ACC	NAME	GWEIGHT	GORDER	V3	V4	V5
EWEIGHT				1	1	1
gbk01	Gene1	1	1	0.9	0.4	1.4
gbk02	Gene2	1	2	0.6	0.2	0.2
gbk03	Gene3	1	3	1.6	1.1	0.9
gbk04	Gene4	1	4	0.4	1	1

First field of first line (i.e "ACC") is a special field, that tells program what kind of objects are in each row.

Four special values are defined with web link (when visualize with TreeView):

- YORF <http://genome-www.stanford.edu/cgi-bin/dbrun/SacchDB?find=Locus+%22UNIQID%22>
- MCLID <http://genome.rtc.riken.go.jp/cgi-bin/getseq?g+R+UNIQID>
- CLID <http://genome-www4.stanford.edu/cgi-bin/SMD/source/sourceRes\~ult?op\~tion=CloneID&criteria1=IMAGE:UNIQID&choice=cDNA>
- ACC <http://genome-www4.stanford.edu/cgi-bin/SMD/source/sourceRes\~ult?op\~tion=Number&criteria=UNIQID&choice=cDNA>

Line begining with EWEIGHT gives weights for each column (variable). Column GWEIGHT gives weights for each line (individuals).

Note

Cluster is a program made by *M. Eisen* that performs hierarchical clustering, K-means and SOM.

Cluster is copyrighted. To get or have information about *Cluster*: <http://rana.lbl.gov/EisenSoftware.htm>

Author(s)

Antoine Lucas, <http://antoinelucas.free.fr/ctc>

References

Antoine Lucas and Sylvain Jasson, *Using amap and ctc Packages for Huge Clustering*, R News, 2006, vol 6, issue 5 pages 58-60.

See Also

[xcluster](#), [r2xcluster](#), [hclust](#)

Examples

```
# Create data
set.seed(1)
m <- matrix(rep(1,3*24),ncol=3)
m[9:16,3] <- 3 ; m[17:24,] <- 3 #create 3 groups
m <- m+rnorm(24*3,0,0.5) #add noise
m <- floor(10*m)/10 #just one digits

r2cluster(m)
```

r2gtr

Write to gtr, atr, cdt file format

Description

Write data frame and hclust object to gtr atr, cdt files (Xcluster or Cluster output). Visualisation of cluster can be done with tools like treeview

Usage

```
r2gtr(hr, file="cluster.gtr", distance=hr$dist.method, dec='.', digits=5)
r2atr(hc, file="cluster.atr", distance=hc$dist.method, dec='.', digits=5)
r2cdt(hr, hc, data, labels=FALSE, description=FALSE, file="cluster.cdt", dec='.')
```

Arguments

file	the path of the file
data	a matrix (or data frame) which provides the data to put into the file
hr, hc	objects of class hclust (rows and columns)
distance	The distance measure used. This must be one of "euclidean", "maximum", "manhattan", "canberra" or "binary". Any unambiguous substring can be given.
digits	number digits for precision
labels	a logical value indicating whether we use the first column as labels (NAME column for cluster file)
description	a logical value indicating whether we use the second column as description (DESCRIPTION column for cluster file)
dec	the character used in the file for decimal points

Details

Function [hclust2treeview](#) compute hierarchical clustering and export to all files at once.

Author(s)

Antoine Lucas, <http://antoinelucas.free.fr/ctc>

References

Antoine Lucas and Sylvain Jasson, *Using amap and ctc Packages for Huge Clustering*, R News, 2006, vol 6, issue 5 pages 58-60.

See Also

[r2xcluster](#), [xcluster2r](#), [hclust](#), [hcluster](#)

Examples

```

# Create data
set.seed(1)
m <- matrix(rep(1,3*24),ncol=3)
m[9:16,3] <- 3 ; m[17:24,] <- 3 #create 3 groups
m <- m+rnorm(24*3,0,0.5) #add noise
m <- floor(10*m)/10 #just one digits

# use library stats
# Cluster columns
hc <- hclust(dist(t(m)))
# Cluster rows
hr <- hclust(dist(m))

# Export files
r2atr(hc,file="cluster.atr")
r2gtr(hr,file="cluster.gtr")
r2cdt(hr,hc,m ,file="cluster.cdt")

```

r2xcluster

Write to Xcluster file format

Description

Converting data to Xcluster format

Usage

```
r2xcluster(data,labels=FALSE,description=FALSE,file="xcluster.txt")
```

Arguments

file	the path of the file
data	a matrix (or data frame) which provides the data to put into the file
labels	a logical value indicating whether we use the first column as labels (NAME column for xcluster file)
description	a logical value indicating whether we use the second column as description (DESCRIPTION column for cluster file)

Details

Software *Xcluster*, made by *G. Sherlock* needs formatted input data like:

NAME	DESCRIPTION	GWEIGHT	V2	V3	V4
EWEIGHT			1	1	1
gbk01	Gene1	1	0.9	0.4	1.4

gbk02	Gene2	1	0.6	0.2	0.2
gbk03	Gene3	1	1.6	1.1	0.9
gbk04	Gene4	1	0.4	1	1

Line begining with EWEIGHT gives weights for each column (variable). Column GWEIGHT gives weights for each line (individuals).

Note

Xcluster is a C program made by *Gavin Sherlock* that performs hierarchical clustering, K-means and SOM.

Xcluster is copyrighted. To get or have information about *Xcluster*: <http://genome-www.stanford.edu/~sherlock/cluster.html>

Author(s)

Antoine Lucas, <http://antoinelucas.free.fr/ctc>

References

Antoine Lucas and Sylvain Jasson, *Using amap and ctc Packages for Huge Clustering*, R News, 2006, vol 6, issue 5 pages 58-60.

See Also

[xcluster](#), [xcluster2r](#), [hclust](#), [hcluster](#)

Examples

```
## Create data
set.seed(1)
m <- matrix(rep(1,3*24),ncol=3)
m[9:16,3] <- 3 ; m[17:24,] <- 3 #create 3 groups
m <- m+rnorm(24*3,0,0.5) #add noise
m <- floor(10*m)/10 #just one digits

r2xcluster(m)

## And once you have Xcluster program:

## Not run:
system('Xcluster -f xcluster.txt -e 0 -p 0 -s 0 -l 0')
h <- xcluster2r('xcluster.gtr')
plot(h,hang=-1)

## End(Not run)
```

read.eisen	<i>Read expression data from a file formatted for Eisen clustering</i>
------------	--

Description

The input for Eisen-clustering is a slight variation of a tab delimited file. This method reads the expression data from such files as a matrix and provides optional additional information on the experiments as attributes.

Usage

```
read.eisen(file,sep="\t",dec=".", format.check = TRUE)
```

Arguments

file	The relative or absolute path to the file to be read, as internally forwarded to the read.table function.
sep	Separator of fields, passed on to read.table.
dec	Passed on to read.table. This is particularly helpful for the interpretation of data from localised spreadsheet programs.
format.check	TRUE or FALSE: to disable file format check.

Details

The software of Michael Eisen and its plain tab separated format for the presentation of gene expression data prior to their clustering is supported by many hard- and software providers, both as an input for their tools and as resulting from the analysis and normalisation of the chip images. To be able to read and write this format, the Bioconductor suite is enabled to easily reanalyse or extend older experiments that might have been analysed with the Eisen tools before.

Value

A numerical matrix is returned. It is a complete analogue of the Eisen-format, except the descriptions, weights and other information being passed to attributes. The first row will be the column names, the first column will be the respective row name. A second row that has a first empty field is referred to via the attribute "second.row". A column NAME is stored in the attribute "NAME".

Author(s)

Steffen Moeller

References

Michael Eisen Lab <http://rana.lbl.gov/>

Michael Hoon's Cluster 3.0 <http://bonsai.ims.u-tokyo.ac.jp/~mdehoon/software/cluster/>

Eisen M.B., P.T. Spellman, P.O. Brown, and D. Botstein. 1998. Cluster analysis and display of genome-wide expression patterns. *Proc. Natl. Acad. Sci. USA* /, 95:14863-14868.

De Hoon M.J.L., S. Imoto, J. Nolan, and S. Miyano. Open source clustering software. *Bioinformatics* *20* (9): 1453–1454 (2004).

Antoine Lucas and Sylvain Jasson, *Using amap and ctc Packages for Huge Clustering*, R News, 2006, vol 6, issue 5 pages 58-60.

xcluster

Hierarchical clustering

Description

Performs a hierarchical cluster analysis on a set of dissimilarities (this function launch an external program: Xcluster).

Usage

```
xcluster(data,distance="euclidean",clean=FALSE,tmp.in="tmp.txt",tmp.out="tmp.gtr")
```

Arguments

data	a matrix (or data frame) which provides the data to analyze
distance	The distance measure used with <i>Xcluster</i> . This must be one of "euclidean", "pearson" or "notcenteredpearson". Any unambiguous substring can be given.
clean	a logical value indicating whether you want the true distances (clean=FALSE), or you want a clean dendrogram
tmp.in, tmp.out	temporary files for Xcluster

Details

Available distance measures are (written for two vectors x and y):

- Euclidean: Usual square distance between the two vectors (2 norm).
- Pearson: $1 - \text{cor}(x, y)$
- Pearson not centered: $1 - \frac{\sum_i x_i y_i}{(\sum_i x_i^2 \sum_i y_i^2)^{1/2}}$

Xcluster does not use usual agglomerative methods (single, average, complete), but compute the distance between each groups' barycenter for the distance between two groups.

This have a problem for this kind of data:

A	0	0
B	0	1
C	0.9	0.5

Ie: a triangular in \mathbf{R}^2 , the distance between A and B is larger than the distance between the group A,B and C (with euclidean distance).

For that case it can be useful to use `clean=TRUE` and that mean that you must not consider A and B as a group without C.

Value

An object of class **hclust** which describes the tree produced by the clustering process. The object is a list with components:

merge	an $n - 1$ by 2 matrix. Row i of merge describes the merging of clusters at step i of the clustering. If an element j in the row is negative, then observation $-j$ was merged at this stage. If j is positive then the merge was with the cluster formed at the (earlier) stage j of the algorithm. Thus negative entries in merge indicate agglomerations of singletons, and positive entries indicate agglomerations of non-singletons.
height	a set of $n - 1$ non-decreasing real values. The clustering <i>height</i> : that is, the value of the criterion associated with the clustering method for the particular agglomeration.
order	a vector giving the permutation of the original observations suitable for plotting, in the sense that a cluster plot using this ordering and matrix merge will not have crossings of the branches.
labels	labels for each of the objects being clustered.
call	the call which produced the result.
method	the cluster method that has been used.
dist.method	the distance that has been used to create d (only returned if the distance object has a "method" attribute).

Note

Xcluster is a C program made by *Gavin Sherlock* that performs hierarchical clustering, K-means and SOM.

Xcluster is copyrighted. To get or have information about *Xcluster*: <http://genome-www.stanford.edu/~sherlock/cluster.html>

Author(s)

Antoine Lucas, <http://mulcyber.toulouse.inra.fr/projects/amap/>

References

Antoine Lucas and Sylvain Jasson, *Using amap and ctc Packages for Huge Clustering*, R News, 2006, vol 6, issue 5 pages 58-60.

See Also

[r2xcluster](#), [xcluster2r](#), [hclust](#), [hcluster](#)

Examples

```
# Create data
set.seed(1)
m <- matrix(rep(1,3*24),ncol=3)
m[9:16,3] <- 3 ; m[17:24,] <- 3 #create 3 groups
m <- m+rnorm(24*3,0,0.5) #add noise
m <- floor(10*m)/10 #just one digits

# And once you have Xcluster program:
#
#h <- xcluster(m)
#
#plot(h)
```

xcluster2r

Importing Xcluster/Cluster output

Description

Converting Xcluster/Cluster output (.gtr or .atr) to R hclust file

Usage

```
xcluster2r(file,distance="euclidean",labels=FALSE,fast=FALSE,clean=FALSE,
           dec='.')
```

Arguments

file	the path of a <i>Xcluster/Cluster</i> file (.gtr or .atr)
distance	The distance measure used with <i>Xcluster/Cluster</i> . This must be one of "euclidean", "pearson" or "notcenteredpearson". Any unambiguous substring can be given.
labels	a logical value indicating whether we use labels values (in the .cdt file) or not.
fast	a logical value indicating whether we reorganize data like R (Fast=FALSE) or we let them like <i>Xcluster/Cluster</i> did
clean	a logical value indicating whether you want the true distances (clean=FALSE), or you want a clean dendrogram (see details below).
dec	the character used in the file for decimal points

Details

See **xcluster** for more details.

Value

An object of class **hclust** which describes the tree produced by the clustering process.

Note

Xcluster is a C program made by *Gavin Sherlock* that performs hierarchical clustering, K-means and SOM.

Xcluster is copyrighted. To get or have information about *Xcluster*: <http://genome-www.stanford.edu/~sherlock/cluster.html>

Cluster is a program made by *Michael Eisen* that performs hierarchical clustering, K-means and SOM.

Cluster is copyrighted. To get or have information about *Cluster*: <http://rana.lbl.gov/EisenSoftware.htm>

Author(s)

Antoine Lucas, <http://mulcyber.toulouse.inra.fr/projects/amap/>

References

Antoine Lucas and Sylvain Jasson, *Using amap and ctc Packages for Huge Clustering*, R News, 2006, vol 6, issue 5 pages 58-60.

See Also

[xcluster](#), [r2xcluster](#), [hclust](#), [hcluster](#)

Examples

```
# Create data
set.seed(1)
m <- matrix(rep(1,3*24),ncol=3)
m[9:16,3] <- 3 ; m[17:24,] <- 3 #create 3 groups
m <- m+rnorm(24*3,0,0.5) #add noise
m <- floor(10*m)/10 #just one digits

r2xcluster(m)

# And once you have Xcluster program:
#
#system('Xcluster -f xcluster.txt -e 0 -p 0 -s 0 -l 0')
#h <- xcluster2r('xcluster.gtr')
#plot(h,hang=-1)
```

Index

* **cluster**

- hc2Newick, 2
- hclust2treeview, 3
- r2gtr, 6
- read.eisen, 9
- xcluster, 10

* **file**

- r2cluster, 4
- r2xcluster, 7
- xcluster2r, 12

* **manip**

- hc2Newick, 2

hc2Newick, 2

hclust, 3, 5, 6, 8, 12, 13

hclust2treeview, 3, 6

hcluster, 6, 8, 12, 13

r2atr (r2gtr), 6

r2cdt (r2gtr), 6

r2cluster, 4

r2gtr, 6

r2xcluster, 5, 6, 7, 12, 13

read.eisen, 9

xcluster, 5, 8, 10, 13

xcluster2r, 6, 8, 12, 12